



**NIEUWKOOP**

METEN.NL

# LEAFLET



## pH SENSOREN

portable / in-line



TO MEASURE  TO KNOW

**PH5000 (SZ1021):**

Body : epoxy combination  
 pH-range : 0-13  
 Temp. range : 0-60°C  
 Cable length : 1 meter + BNC  
 Size : 110x12mm  
 Application : for portable instruments



**PH5106 (SZ195.2):**

Body : glass combination  
 Pressure : 10 bar  
 pH-range : 0-14  
 Temp. range : -5...130°C  
 Cable length : 1 meter + BNC  
 Size : 110x12mm  
 Application : water  
                   Soil  
                   cheese



**PH5510 (SZ1093):**

Body : epoxy combination  
 Pressure : 7 bar  
 pH-range : 0-13  
 Temp. range : 0-80°C  
 Cable length : 3 meter + BNC  
 Size : 75x12mm  
 Application : Fertirrigation



**PH5550 (SZ165):**

Body : glass combination  
 Pressure : 10 bar  
 pH-range : 0-13  
 Temp. range : 0-100°C  
 Cable length : 9 meter  
 Size : 110x12mm  
 Application : Aquaculture  
                   Drinking water  
                   Chemical industry  
                   Fertirrigation  
                   Swimming pools  
                   Water treatment





TO MEASURE  TO KNOW

**Nieuwkoop BV**

Aalsmeerderweg 249-S  
1432 CM AALSMEER

0297 325836

[info@nieuwkoopbv.nl](mailto:info@nieuwkoopbv.nl)  
[www.meten.nl](http://www.meten.nl)



**NIEUWKOOP**