



NIEUWKOOP

LEAFLET



pH SENSORS

portable / in-line



TO MEASURE  TO KNOW

PH5000 (SZ1021):

Body : Epoxy combination
 pH-range : 0-13
 Temp. range : 0-60°C
 Cable length : 1 meter + BNC
 Size : 110x12mm
 Application : For portable instruments



PH5105 (SZ195.2):

Body : Glass combination
 Pressure : 10 bar
 pH-range : 0-14
 Temp. range : -5...130°C
 Cable length : 9 meter
 Size : 110x12mm
 Application : Water
 Soil
 Cheese



PH5510 (SZ1093):

Body : Epoxy combination
 Pressure : 7 bar
 pH-range : 0-13
 Temp. range : 0-80°C
 Cable length : 3 meter + BNC
 Size : 75x12mm
 Application : Fertirrigation



PH5550 (SZ165):

Body : Glass combination
 Pressure : 10 bar
 pH-range : 0-13
 Temp. range : 0-100°C
 Cable length : 9 meter
 Size : 110x12mm
 Application : Aquaculture
 Drinking water
 Chemical industry
 Fertirrigation
 Swimming pools
 Water treatment





TO MEASURE  TO KNOW

Nieuwkoop BV

Aalsmeerderweg 249 -S
1432 CM AALSMEER

0297 325836

info@nieuwkoopbv.nl
www.meten.nl



NIEUWKOOP